

American Society for Gravitational and Space Research (ASGSR) Meeting Abstract

Crystal Growth of Germanium-Silicon Alloys on the ISS

M. P. Volz

NASA, Marshall Space Flight Center, EM31, Huntsville, AL 35812, USA

K. Mazuruk

University of Alabama in Huntsville, Huntsville, AL 35762, USA

A. Cröll

Kristallographisches Institut, University of Freiburg, Freiburg, Germany

A series of $\text{Ge}_{1-x}\text{Si}_x$ crystal growth experiments are planned to be conducted in the Low Gradient Furnace (LGF) onboard the International Space Station. The experiments are part of the investigation “Influence of Containment on the Growth of Silicon-Germanium” (ICESAGE). The primary objective of the research is to determine the influence of containment on the processing-induced defects and impurity incorporation in germanium-silicon alloy crystals. A comparison will be made between crystals grown by the normal and “detached” Bridgman methods and the ground-based float zone technique. Crystals grown without being in contact with a container have superior quality to otherwise similar crystals grown in direct contact with a container, especially with respect to impurity incorporation, formation of dislocations, and residual stress in crystals. “Detached” or “dewetted” Bridgman growth is similar to regular Bridgman growth in that most of the melt is in contact with the crucible wall, but the crystal is separated from the wall by a small gap, typically of the order of 10-100 microns. Long duration reduced gravity is essential to test the proposed theory of detached growth. Detached growth requires the establishment of a meniscus between the crystal and the ampoule wall. This meniscus can exist over a much larger range of processing parameters in microgravity and the meniscus is more stable under microgravity conditions. The plans for the flight experiments will be described.